



design: Terma

#### Connections:



# We recommend:


ZIP V hanger

KTX 3 heating element





# Available sizes:




# Specifications:

A ≎	$\stackrel{B}{\leftrightarrow}$	(W]	D [mm]	E [mm]	F [mm]	[dm³]	(kg)	Product Configuration Code
1700	280	1000	151	1500	50	11,64	31,29	WLVEC170028
1900	280	1000	151	1700	50	12,95	34,68	WLVEC190028


www.termaheat.pl







 $\begin{array}{lll} A-{\sf Height} & B-{\sf Width} & {\sf C1-C5-Distance\ between\ pipe\ centres} & D-{\sf Horizontal\ distance\ between\ mounting\ bracket\ centres} \\ E-{\sf Vertical\ distance\ between\ mounting\ brackets} & F-{\sf Distance\ between\ a\ mounting\ bracket\ and\ the\ bottom\ of\ the\ radiator} \end{array}$ 







Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, product codes should include the fully completed configuration part. The configuration code part should be placed after the main product code. The main product code and configuration part will appear as shown in the example below:

# Construction of electric heater configuration code

### WLALE054030

# K916E1DRYM

PRODUCT CODE (located in the table for the product)

CONFIGURATION CODE (supplemented by hand)

#### Configuration



# Zinc powder primer

C – Code of zinc powder primer is an extra processes

WLALE054030 K916SX C — Extra processes or additions code





#### Legend



Available in chrome finish.



Radiator available in a "water" version.



Radiator suitable for dual fuel connection. Electric heating element can be installed.



Radiator available in electric only version. It comes prefilled with a 'heating medium' and equipped with a heating element. All tested and ready to use.



Connection types dedicated for this radiator. The icon shows the flow and return connections for the radiator as well as the thermostatic valve and heating element position if applicable.



Optional connections available for this radiator.



Suggested heating element power output for electric and dual fuel versions.



Weight.



Capacity.