

Plain wersja 560 wisząca



Plain 560 x 688

kolor: Flat Black


Plain wersja 560 wisząca



Podłączenia:



Dostępne rozmiary:




Dane techniczne:

Ciśnienie robocze: 1,0 MPa. Maksymalna temperatura pracy: 95°C.

A ↓	B ↔	C [mm]	D [mm]	D' [mm]	D'' [mm]	75/65/20°C [W]	55/45/20°C [W]	 [dm³]	 [kg]
560	80	460	-	-	-	103	54	2,61	8,9
560	278	460	82	98	-	308	163	7,82	23,0
560	360	460	-	98	-	410	217	10,42	30,3
560	442	460	246	98	-	513	271	13,03	37,6
560	524	460	-	98	-	615	325	15,63	44,9
560	606	460	246	180	-	718	379	18,24	52,2
560	688	460	328	180	-	820	434	20,85	59,5
560	770	460	410	180	-	923	488	23,45	66,8
560	852	460	492	180	-	1025	542	26,06	74,1
560	934	460	574	180	164	1128	596	28,66	81,4
560	1016	460	656	180	164	1230	650	31,27	88,7
560	1098	460	738	180	246	1333	705	33,87	96,0
560	1180	460	820	180	246	1435	759	36,48	103,3
560	1262	460	738	262	246	1538	813	39,09	110,6
560	1344	460	820	262	246	1640	867	41,69	117,9
560	1426	460	902	262	246	1743	921	44,30	125,2

Plain wersja 560 wisząca



A – wysokość B – szerokość C – rozstaw połączeń D – rozstaw konsol w poziomie