





▲ Radiator

Solid H 600↑ x 1200↔ UB,
radiator colour: RAL 9005 MATT,
radiator code: WG22H060120 K9M5UB


SOLID H 




AVAILABLE SIZES

600 x 400
↕ ↔


600 x 600





600 x 800




600 x 1000



600 x 1200

600 x 1400
↕ ↔


600 x 1600



600 x 1800

CENTRAL HEATING

Connections:



Height A ↕ [mm]	Width B ↔ [mm]	Heating power		Product code ... Configuration p. 5
		75/65/20°C [W]	55/45/20°C [W]	
600	400	555	286	WG22H060040
600	600	833	429	WG22H060060
600	800	1110	572	WG22H060080
600	1000	1388	715	WG22H060100
600	1200	1666	857	WG22H060120
600	1400	1943	1000	WG22H060140
600	1600	2221	1143	WG22H060160
600	1800	2498	1286	WG22H060180

DIMENSIONS AND TECHNICAL INFORMATION


Working pressure: 800 kPa

Maximum operating temperature: 95°C

Height A [mm]	Width B [mm]	Spacing connection C1 [mm]	Spacing connection C3 [mm]	Spacing connection C4 [mm]	Spacing connection C5 [mm]	Spacing horizontal fasteners D [mm]	Spacing vertical fasteners E [mm]	Bottom fasteners position F [mm]	Capacity [dm ³]	Weight [kg]
600	400	50	545	400	500	200	385	85	2,14	17,70
600	600	50	545	600	500	400	385	85	3,23	25,94
600	800	50	545	800	500	600	385	85	4,32	34,18
600	1000	50	545	1000	500	800	385	85	5,41	42,42
600	1200	50	545	1200	500	1000	385	85	6,50	50,67
600	1400	50	545	1400	500	1200	385	85	7,59	58,91
600	1600	50	545	1600	500	1400	385	85	8,68	67,15
600	1800	50	545	1800	500	1600	385	85	9,77	75,39

TECHNICAL DRAWING

UB




A – Height B – Width C1-C5 – Distance between pipe centres D – Horizontal distance between mounting bracket centres E – Vertical distance between mounting brackets F – Distance between a mounting bracket and the bottom of the radiator

CONFIGURATION CODE FOR A TOWEL RAIL OR RADIATOR ("WG" PRODUCT GROUP)

Product codes can be found in the product tables in both the catalogue and the price list. They provide basic information about the product and the configuration code contains information that complements the specification. When placing an order, the product codes should contain the fully completed configuration part. Part of the configuration code should be placed after the main product code as shown in the example below:

CODE DETAILS:



WG – water or dual fuel, central heating towel rail or radiator