MOA WIFI





photo: ral 9005; cable: straight



www.termaheat.com 20251016 CIBTO page 1 of 3

MOA WIFI



Functions and features:

Functionality

The MOA WIFI heater is a heat Equipped with a room tema Dryer mode for quickly heat- EU standards. ing a room or drying towels.

Safety

source for electric radiators perature sensor (external) and filled with a heating medium an internal temperature sensor or water-electric radiators. It (monitoring the heating meallows for precise tempera- dium temperature), a thermal ture setting (16-25°C locally fuse, an anti-freeze function or 15-30°C in the app) manu- (protection against freezing), ally or remotely. It also features and parental controls, it meets

Compliance with standards

The heater meets safety standards for household electrical products, EMC standards, network safety standards, and Ecodesign requirements.

Design

Minimalist and modern. with a simple control panel equipped with LEDs and intuitive buttons. The shape is compact and matches the aesthetics of the radiator. The panel informs the user about the operating mode through the colors and LED lighting.

Colour

Available colors: white, silver, black and brass. For a single order of 100 or more heaters in a single color, RAL colors.

Remote Control

The device can be operated manually using buttons or remotely using the intuitive and user-friendly TERMA Home app (Android/iOS). With the TERMA Home WiFi app, you can:

- set the temperature with an accuracy of 0.5°C,
- create zones, manage multiple devices in each zone, and customize zone and device names to your preferences;
- program heater schedules,
- remotely activate Dryer mode (up to 12 hours),
- personalize LED colors.

Connectivity and Control

- TERMA HOME* app control (iOS, Android)
- TUYA Smart compatibility from Q1 2026
- Connectivity: WiFi ? and Bluetooth
 - *The TERMA HOME app is free for 24 months from device registration

Download TERMA HOME:





Table configurations:

Colour or Cable type and Example of product code: Power code finish code plug code WE | MOW | 04 | Model code Packaging code

	Model	Power [W]	Packaging	Colour	Cable type
WE	MOW MOW	01 120 02 200 03 300 04 400 05 500 06 600 08 800	T tube	916 White SMA Silver 905 Black BRA Brass	 P Straight cable without plug M Straight cable without plug with masking cover W Straight cable with plug U Spiral cable with plug
		10 1000 12 1200			

www.termaheat.com 20251016 CIBTO page 2 of 3

MOA WIFI




Technical data:

Model designation MOA WiFi
Power supply 230 V / 50 Hz
Device protection class Class I
Radiator connection G 1/2"

Ingress protection IPx5

Temperature measurement Temperature inside the radiator and room temperature

WiFi 2,4 GHz 802.11 b/g/n/ax



L_[mm] 315 275 300 335 350 365 475 565 660 Power_[w] 120 200 300 400 500 600 800 1000 1200

www.termaheat.com 20251016 CIBTO page 3 of 3